



Dell KACE™ K1000 and K2000 Appliances 13G External I/O Reference

October 2016


This document is applicable to the following Dell KACE K-Series appliance models: K1100, K1200, K2100, and K2200.

Note: The model name under the LCD panel identifies whether the appliance is a 12G or 13G version. 12G appliances have an “S” in the model name (for example, K1100S), and the 13G appliances do not (for example, K1100).

Topics:

- [13G front view \(without bezel\)](#)
- [13G back view](#)


13G front view (without bezel)



The front panel (without bezel) includes the following components and connectors:

- **Power button:** An ACI-compliant power indicator with an integrated power LED (green). Use only the web management interface to power down the appliance.
- **NMI button:** A recessed NMI (Non-Maskable Interrupt) button. Use only when instructed by Dell Software Support.
- **System ID:** A system ID button that helps to identify the appliance in a datacenter environment. When you press the button, the system ID buttons on the front and back panels flash until one of the buttons is pressed again.
- **VGA port:** A VGA (Video Graphics Array) connector that connects a monitor to the appliance.
- **LCD control buttons:** Two navigation buttons that enable scrolling through the LCD panel and a selection button to choose the preferred option.
- **LCD panel:** A panel that displays system ID, status information, and system error messages.
- **USB ports:** Two ports that only support a USB keyboard and mouse. Dell Software Support might instruct you to connect other devices to the USB ports for troubleshooting purposes only.
- **HDD activity LED:** Two LED indicators, where one is a hard drive activity indicator (green) and the other is a hard drive status indicator (green and amber).

13G back view



The back panel includes the following components and connectors:

- **Serial port (Not supported):** Serial ports are not supported by Dell KACE.
- **VGA port:** A VGA connector that connects a monitor to the appliance.
- **Designated system management port:** A dedicated iDRAC (integrated Dell Remote Access Controller) port. Dell Software Support might instruct you to use this port for troubleshooting purposes only.
- **USB ports:** Two ports that only support a USB keyboard and mouse. Dell Software Support might instruct you to connect other devices to the USB ports for troubleshooting purposes only.
- **System ID:** A system ID button that helps to identify the appliance in a datacenter environment. When you press the button, the system ID buttons on the front and back panels flash until one of the buttons is pressed again.
- **Intel® NIC ports (Enabled):**
For K1100 and K2100: An Intel I350-T2 Dual-Port 1 Gigabit NIC that is enabled and connects the appliance to the network. The LEDs indicate network activity and status.
For K1200 and K2200: An Intel X540-T2 Dual-Port 10 Gigabit NIC that is enabled and connects the appliance to the network. The LEDs indicate network activity and status.
- **LOM ports (Disabled):** LOM (LAN on Motherboard) Ethernet ports that are disabled.
- **Power supply:** The power supply that provides power to the server. The K1200 and K2200 have two power supplies for fault tolerance.

About Dell

Dell listens to customers and delivers worldwide innovative technology, business solutions and services they trust and value. For more information, visit <http://www.software.dell.com>.

Contacting Dell

For sales or other inquiries, visit <http://software.dell.com/company/contact-us.aspx> or call 1-949-754-8000.

Technical support resources

Technical support is available to customers who have purchased Dell software with a valid maintenance contract and to customers who have trial versions. To access the Support Portal, go to <http://support.software.dell.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. In addition, the Support Portal provides direct access to product support engineers through an online Service Request system.

The Support Portal enables you to:


- Create, update, and manage Service Requests (cases)
- View Knowledge Base articles
- Obtain product notifications
- Download software. For trial software, go to <http://software.dell.com/trials>.
- View how-to videos
- Engage in community discussions
- Chat with a support engineer


Legal notices

Copyright© 2016 Dell Inc. All rights reserved.

This product is protected by U.S. and international copyright and intellectual property laws. Dell™, the Dell logo, KACE, Latitude, OptiPlex, PowerEdge, PowerVault, and Precision are trademarks of Dell Inc. Adobe, Acrobat, and Reader are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. AMD-V is a trademark of Advanced Micro Devices, Inc. Apache is a trademark of The Apache Software Foundation. Apple, iPad, iPhone, iPod touch, Mac, Macintosh, Mac OS, OS X, and Safari are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Ubuntu is a registered trademark of Canonical Ltd. Cisco is a registered trademark of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries. Facebook is a registered trademark of Facebook Inc. FreeBSD is a registered trademark of The FreeBSD Foundation. Google, Android, Chrome, Chromebook, and Google Play are trademarks of Google Inc. Intel, vPro, and Xeon are trademarks of Intel Corporation in the U.S. and/or other countries. IBM and AIX are registered trademarks of International Business Machines Corporation. Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both. McAfee and VirusScan are registered trademarks of McAfee, Inc. in the United States and other countries. LinkedIn is registered trademark of LinkedIn Corporation. Lumension is a registered trademark of Lumension Security, Inc. Microsoft, Access, ActiveX, Active Directory, Excel, Hyper-V, Internet Explorer, Microsoft Edge, Visual Studio, Windows, Windows Server, and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Mozilla and Firefox are registered trademarks of the Mozilla Foundation. NETGEAR is a registered trademark of NETGEAR, Inc. and/or its subsidiaries in the United States and/or other countries. Novell and SUSE are registered trademarks and SLES is a trademark of Novell, Inc. in the United States and other countries. Oracle, Java, MySQL, and Solaris are trademarks or registered trademarks of Oracle and/or its affiliates. CentOS, Fedora, Red Hat, and Red Hat Enterprise Linux are registered trademarks or trademarks of Red Hat, Inc. in the U.S. and other countries. Debian is a registered trademark of Software in the Public Interest, Inc. DameWare is a registered trademark of SolarWinds Worldwide, LLC. Symantec and Ghost are trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. Twitter is a registered trademark of Twitter, Inc. UNIX is a registered trademark of The Open Group in the United States and other countries. VeriSign is a registered trademark of VeriSign, Inc. and its subsidiaries in the United States and in foreign countries. VMware, ESX, ESXi, Fusion, Player, vCenter Converter, vCenter Lab Manager, vCloud, vSphere, Workstation, and AirWatch are registered trademarks or trademarks of VMware, Inc. in the United States and/or other jurisdictions. VNC is a registered trademark of RealVNC Ltd. in the U.S. and in other countries. Wi-Fi is a registered trademark of Wireless Ethernet Compatibility Alliance, Inc. WinZip is a registered trademark of Corel Corporation and/or its subsidiaries in Canada, the United States and/or other countries. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims any proprietary interest in the marks and names of others.

Legend

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.

 **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

KACE K1000 and K2000 Appliances 13G External I/O Reference
Updated - October 2016
Software Version - 7.0